


SURGICAL SUTURES

DENTAL





LUXSUTURES is specialized in the manufacturing of surgical sutures. The company is located in Luxemburg, in the heart of Europe, between Belgium, France and Germany.

LUXSUTURES products are recognized by surgeons around the world, enjoying market and surgeon acceptance based on our high quality standards, growing range of products, as well as fair and competitive prices.

LUXSUTURES maintains quality standards based on the most demanding international regulations, such as EN ISO 9001 and EN ISO 13485 as well as Good Manufacturing Practices (GMP).

All raw materials and finished products are submitted to stringent quality control by a highly qualified team. Excellence in quality and service are our key to customer satisfaction.

This catalogue contains information about the full range of LUXSUTURES suture materials with details of all standard presentations held in stock. Special sizes of sutures can be supplied following customer's requests. We are constantly increasing our product range based on market developments and customer needs.

LUXSUTURES offers a large range of products which enables surgeons to operate in many different surgical specializations.

CERTIFICATES





Suture materials



ABSORBABLE SUTURES

Loss of tensile strength over time:































NON-ABSORBABLE SUTURES

























NONABSORBABLE SURGICAL SUTURE
SILKBRAIDED
BLACK

ORDER NUMBER SPECIFICATION -



FOIL PACKS



SUTURE MATERIAL

PL Luxcryl 910 polyglactine 910 PG Luxcryl PGA polyglycolic acid

PGR Luxcryl PGA Rapid polyglycolic acid

PD Luxcryl PDO polydioxanone

CP Catgut Plain CC Catgut Chrom

PP Luxylene polypropylene

NY Luxamid nylon

SB Supramid polyamid

SI Silk

PE Luxpet polyester

NEEDLE LENGTH

mm

THREAD SIZE

USP

OTHER SPECIFICATION

P premium needle U undyed suture

UP undyed suture, premium needle

NEEDLE TYPE

- - DR 3/8 circle round bodied taper point
 - VR 1/4 circle round bodied taper point
 - FR 5/8 circle round bodied taper point
 - GR straight round bodied taper point
 - JR J-needle round bodied taper point
- - DRT 3/8 circle round bodied tapercut point
- THS 1/2 circle reverse cutting
 - DS 3/8 circle reverse cutting
- NH 1/2 circle cutting NS 3/8 circle cutting
 - NS 3/8 circle cutting Straight cutting
- ▼ THSP 1/2 circle side cutting spatula
 - DSP 3/8 circle side cutting spatula
 - VSP 1/4 circle side cutting spatula GSP straight side cutting spatula
- I CC 3/8 circle soft cutting point coronary
- I DRB 3/8 circle blunt needle
- I WN without needle

SYNTHETIC ABSORBABLE SURGICAL SUTURE CONTROLL SURGICAL SUTURE POLYGLACTINE 910 BRAIDED

Type Braided and coated multifilament

Composition Polyglactine 910, a copolymer made of 90% glycolide and 10%L-lactide

COATING Poly-glycolide-co-L-lactide and calcium stearate (<1%)

Tissue reaction Minimal

Absorption The hydrolytic action by which the material is broken down results in to-

tal absorption between 56 and 70 days. Between 40% and 50% of tensile

strength remain after 21 days.

Tensile strength Post implantation Approximate % original strength remaining

 14 days
 75 %

 21 days
 50 %

 28 days
 20 %

Suture colour Violet

RANGE USP 6/0 - 2/0

INDICATIONS Luxcryl 910 sutures are intended for use in general soft tissue closing and/or

ligation; especially in general surgery, skin closure, gastrointestinal surgery, plastic surgery, ophthalmic surgery, gynaecology, obstetrics, orthopaedics,

urology









	Round	l bodied needle – tap	er poi	nt – 1,	/2 circle			
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
			0.7	6/0	75 cm	violet		PL60HR13
HR13	13 mm		1	5/0	75 cm	violet		PL50HR13
			1.5	4/0	75 cm	violet		PL40HR13
		10 02	1	5/0	75 cm	violet		PL50HR17
HR17	17 mm		1.5	4/0	75 cm	violet		PL40HR17
			2	3/0	75 cm	violet		PL30HR17
HR20	20 mm		1.5	4/0	75 cm	violet		PL40HR20
		N W	1.5	4/0	75 cm	violet		PL40HR22
HR22	22 mm		2	3/0	75 cm	violet		PL30HR22
			3	2/0	75 cm	violet		PL20HR22
			1.5	4/0	75 cm	violet		PL40HR26
HR26	26 mm	()	2	3/0	75 cm	violet		PL30HR26
⊓RZ0	20 111111		2	3/0	90 cm	violet		PL30HR26-90
			3	2/0	75 cm	violet		PL20HR26

	Revers	e cutting needle – 3/	8 circ	le				
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
DS12	12 mm	S 2	0.7	6/0	45 cm	violet		PL60DS12
D312	12 111111		1	5/0	45 cm	violet		PL50DS12
			0.7	6/0	45 cm	violet		PL60DS16
			0.7	6/0	45 cm	undyed		PL60DS16-U
DS16	1/	E 3	1	5/0	75 cm	violet		PL50DS16
D216	16 mm		1.5	4/0	75 cm	violet		PL40DS16
		1.5	4/0	75 cm	undyed		PL40DS16-U	
			2	3/0	75 cm	violet		PL30DS16
			1	5/0	75 cm	violet		PL50DS19
			1	5/0	75 cm	undyed		PL50DS19-U
DS19	19 mm		1.5	4/0	75 cm	violet		PL40DS19
D219	19 111111		1.5	4/0	75 cm	undyed		PL40DS19-U
			2	3/0	75 cm	violet		PL30DS19
			2	3/0	75 cm	undyed		PL30DS19-U
			1.5	4/0	75 cm	violet		PL40DS24
DS24	24 mm		2	3/0	75 cm	violet		PL30DS24
D324	∠4 IIIIII		2	3/0	90 cm	violet		PL30DS24-90
			3	2/0	75 cm	violet		PL20DS24
DS26	26 mm		3	2/0	90 cm	violet		PL20DS26-90



	Round bodied needle – tapercut point – 1/2 circle									
	NEEDLE				LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER		
HRT18	18 mm		1.5	4/0	75 cm	violet		PL40HRT18		

7	Reverse cutting needle – 1/2 circle									
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER		
LIC24	11027 27 222		2	3/0	75 cm	violet		PL30HS26		
HS26	26 mm		3	2/0	75 cm	violet		PL20HS26		

SYNTHETIC ABSORBABLE SURGICAL SUTURE CRYLPGA POLYGLYCOLIC ACID BRAIDED

Type Braided and coated multifilament

Composition Polyglycolic acid

COATING Polycaprolactone and calcium stearate (1%)

Tissue reaction Minimal

Absorption The hydrolytic action by which the material is broken down results in total

absorption in approximately 60 to 90 days. Approximately 50% of tensile

strength remain after 21 days.

Tensile strength Post implantation Approximate % original strength remaining

14 days 70 % 21 days 50 % 28 days 20 %

Suture colour Violet, beige - undyed

RANGE USP 6/0 - 2/0

INDICATIONS Luxcryl PGA sutures are intended for use in general soft tissue closing

and/or ligation; especially in general surgery, skin closure, gastrointestinal surgery, gynaecology, obstetrics, plastic surgery, urology, ophthalmic surgery,

orthopaedics









	Round bodied needle – taper point – 1/2 circle									
	NEEDLE			USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER		
HR13	13 mm		0.7	6/0	75 cm	violet		PG60HR13		
LID17	17		1	5/0	75 cm	violet		PG50HR17		
HR17	HR17 17 mm		1.5	4/0	75 cm	violet		PG40HR17		
		II W	1.5	4/0	75 cm	violet		PG40HR22		
HR22	22 mm		3	2/0	75 cm	violet		PG20HR22		
			2	3/0	75 cm	violet		PG30HR22		
		7 9	1.5	4/0	75 cm	violet		PG40HR26		
HR26	26 mm		2	3/0	75 cm	violet		PG30HR26		
			3	2/0	75 cm	violet		PG20HR26		

	Reverse cutting needle – 3/8 circle										
	NEEDLE			USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
DC12	12 mm	C) 5	0.7	6/0	45 cm	violet		PG60DS12			
DS12	12 mm		1	5/0	45 cm	violet		PG50DS12			
			0.7	6/0	75 cm	violet		PG60DS16			
DS16	16 mm		1	5/0	75 cm	violet		PG50DS16			
D310	10 111111		1.5	4/0	75 cm	violet		PG40DS16			
			2	3/0	75 cm	violet		PG30DS16			
			1	5/0	75 cm	violet		PG50DS19			
DS19	19 mm	6 3	1.5	4/0	75 cm	violet		PG40DS19			
D319	17 111111		2	3/0	75 cm	violet		PG30DS19			
			3	2/0	75 cm	violet		PG20DS19			
DS24	24 mm		2	3/0	75 cm	violet		PG30DS24			
D324	24 mm		3	2/0	75 cm	violet		PG20DS24			

7	Reverse cutting needle – 1/2 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
HS22	22 mm		1.5	4/0	75 cm	violet		PG40HS22			
11004	26 mm		2	3/0	75 cm	violet		PG30HS26			
HS26	20 111111		3	2/0	75 cm	violet		PG20HS26			

SYNTHETIC ABSORBABLE SURGICAL SUTURE LUXCRYL PGA RAPID POLYGLYCOLIC ACID BRAIDED

Type Braided and coated multifilament

Composition Polyglycolic acid

COATING Polycaprolactone and calcium stearate (1%)

TISSUE REACTION Minimal

Absorption The hydrolytic action by which the material is broken down results in total

absorption in approximately 42 days. Approximately 50% of tensile strength

remain after 7 days.

Tensile strength Post implantation Approximate % original strength remaining

7 days 50 %

Suture colour Beige - undyed, violet

RANGE USP 6/0 - 2/0

INDICATIONS Luxcryl PGA Rapid sutures are intended for use in superficial soft tissue

closing of skin and mucosa only; especially in plastic surgery, obstetrics (episiotomy repair), gynaecology, urology (circumcision), ophthalmic surgery

(conjunctiva), pediatric surgery









	Round bodied needle – taper point – 1/2 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
HR17	17 mm		1.5	4/0	75 cm	undyed		PGR40HR17			
LIDOO	22 mm	Į.	1.5	4/0	75 cm	undyed		PGR40HR22			
HR22	22 mm		2	3/0	75 cm	undyed		PGR30HR22			
HR26	26 mm	2	3/0	75 cm	undyed		PGR30HR26				
HK20	20 111111		3	2/0	75 cm	undyed		PGR20HR26			

V	Reverse cutting needle – 3/8 circle											
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER				
DS12	12 mm	8 8	0.7	6/0	75 cm	undyed		PGR60DS12				
DS12	12 111111		1	5/0	75 cm	undyed		PGR50DS12				
DS16	D04/ 4/		1	5/0	75 cm	undyed		PGR50DS16				
D316	16 mm		1.5			PGR40DS16						
			1	5/0	75 cm	undyed		PGR50DS19				
DS19	19 mm		1.5	4/0	75 cm	undyed		PGR40DS19				
			2	3/0	75 cm	undyed		PGR30DS19				
DS24	24 mm	1	2	3/0	75 cm	undyed		PGR30DS24				
D324	24 111111		3	2/0	75 cm	undyed		PGR20DS24				

SYNTHETIC ABSORBABLE SURGICAL SUTURE CRYLPDO POLYDIOXANONE MONOFILAMENT

Type Monofilament

Composition Polydioxanone, a polymer made from polyester poly (p-dioxanone)

Coating None

Tissue reaction Minimal

Absorption The hydrolytic action by which the material is broken down results in total

absorption in approximately 180 to 210 days. Approximately 50% of tensile

strength remain after 42 days.

Tensile strength Post implantation Approximate % original strength remaining

28 days 70 % 42 days 50 % 56 days 20 %

Suture colour Violet

RANGE USP 6/0 - 2/0

INDICATIONS Luxcryl PDO sutures are intended for use in general soft tissue closing;

especially in general surgery, gastrointestinal surgery, ophthalmic surgery, orthopaedics, abdominal wall closure, gynaecology, plastic surgery, urology









	Round bodied needle – taper point – 1/2 circle										
	NEEDLE			USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
HR13	13 mm		0.7	6/0	75 cm	violet		PD60HR13			
LID17	17		1	5/0	75 cm	violet		PD50HR17			
HRI/	HR17 17 mm		1.5	4/0	75 cm	violet		PD40HR17			
LIDOO	22)	1.5	4/0	75 cm	violet		PD40HR22			
HR22	22 mm		2	3/0	75 cm	violet		PD30HR22			
		y 6	1.5	4/0	75 cm	violet		PD40HR26			
HR26	26 mm		2	3/0	75 cm	violet		PD30HR26			
			3	2/0	75 cm	violet		PD20HR26			

Y	Revers	se cutting needle – 3/	8 circ	le				
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
DS12	12 mm		0.7	6/0	45 cm	violet		PD60DS12
D312	12 111111		1	5/0	45 cm	violet		PD50DS12
DS16	16 mm	()	1	5/0	45 cm	violet		PD50DS16
D310	10 111111		1.5	4/0	75 cm	violet		PD40DS16
			1	5/0	45 cm	violet		PD50DS19
DC10	19 mm		1	5/0	75 cm	violet		PD50DS19-75
DS19	19 mm		1.5	4/0	75 cm	violet		PD40DS19
			2	3/0	75 cm	violet		PD30DS19
			2	3/0	75 cm	violet		PD30DS24
DS24	24 mm	\ /	3	2/0	75 cm	violet		PD20DS24
			3	2/0	90 cm	violet		PD20DS24-90
DC2/	26 mm	1	2	3/0	75 cm	violet		PD30DS26
DS26	26 mm		2	3/0	90 cm	violet		PD30DS26-90

SYNTHETIC ABSORBABLE SURGICAL SUTURE LUXCRY L MONOFAST POLYGLECAPRONE 25

Type Monofilament

Composition Polyglecaprone 25, a copolymer made of 75 % glycolide and 25 %

€-caprolactone

COATING None

TISSUE REACTION Minimal

Absorption The hydrolytic action by which the material is broken down results in total

absorption in approximately 90 to 120 days. Approximately 60% of tensile

strength remain after 7 days.

Tensile strength Post implantation Approximate % original strength remaining

7 days 60 % 14 days 30 %

Suture colour Violet, beige - undyed

RANGE USP 5/0 - 2/0

INDICATIONS Luxcryl Monofast sutures are intended for use in superficial soft tissue closing

and/or ligation; especially in general surgery, skin closure, plastic surgery,

gastrointestinal surgery, gynaecology, urology









	Round bodied needle – taper point – 1/2 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
HR22	22 mm		1.5	4/0	75 cm	violet		PC40HR22			
HR26	26 mm	()	2	3/0	75 cm	violet		PC30HR26			
HK20	20 111111		3	2/0	75 cm	violet		PC20HR26			

	Reverse cutti	ing needle – 3/	8 circ	le				
	NEEDLE	Ξ	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
			0.7	6/0	45 cm	undyed		PC60DS12
DS12	12 mm		0.7	6/0	45 cm	violet		PC60DS12-V
			0.7	6/0	75 cm	violet		PC60DS12-75V
			1	5/0	45 cm	undyed		PC50DS16
DS16	16 mm	. 2	1	5/0	45 cm	violet		PC50DS16-V
D216	16 mm		1	5/0	75 cm	violet		PC50DS16-75V
			1.5	4/0	75 cm	violet		PC40DS16-V
			1	5/0	45 cm	undyed		PC50DS19
			1	5/0	45 cm	violet		PC50DS19-V
			1	5/0	75 cm	violet		PC50DS19-75V
DS19	19 mm		1.5	4/0	75 cm	undyed		PC40DS19
			1.5	4/0	75 cm	violet		PC40DS19-V
			2	3/0	75 cm	undyed		PC30DS19
			2	3/0	75 cm	violet		PC30DS19-V
DS19	19 mm black		1	5/0	75 cm	violet		PC50DS19-75VB
			2	3/0	75 cm	undyed		PC30DS24
DS24	24 mm		2	3/0	75 cm	violet		PC30DS24-V
J)324	Z4 IIIIII		3	2/0	75 cm	undyed		PC20DS24
			3	2/0	75 cm	violet		PC20DS24-V

ABSORBABLE SURGICAL SUTURE CATGUT PLAIN

Type Twisted multifilament with a monofilament appearance

Composition Strands of purified collagen taken from the serosal layer of selected bovines.

Origin from BSE-free classified countries.

Coating None

Tissue reaction Moderate

Absorption By phagocytosis. Complete mass absorption in approximately 63 days.

Approximately 50% of tensile strength remain after 7 days. When used in infected tissues or in tissues with increased levels of proteolytic enzymes

(stomach, cervix, vagina) it is more quickly absorbed.

Tensile strength Post implantation Approximate % original strength remaining

7 days 50 % 14 days 20 %

Suture colour Ivory

RANGE USP 5/0 - 3/0

INDICATIONS Catgut plain sutures are intended for use in general soft tissue closing and/or

ligation; especially in general surgery, gastrointestinal surgery, gynaecology,

obstetrics, urology, ophthalmic surgery









7	Reverse cutting needle – 3/8 circle										
	NEEDLE		EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
DS16			1.5	5/0	75 cm	75 cm ivory		CP50DS16			
D310	16 mm		2	4/0	75 cm	ivory		CP40DS16			
DS19	19 mm		3	3/0	75 cm	ivory		CP30DS19			

ABSORBABLE SURGICAL SUTURE AT GUT CHRON

Type Twisted multifilament with a monofilament appearance

Composition Strands of purified collagen taken from the serosal layer of selected bovines,

tanned with chrome salts. Origin from BSE-free classified countries.

Coating None

Tissue reaction Moderate

Absorption By phagocytosis. The rate of absorption is slowed down by chromizing.

Complete mass absorption in approximately 90 days. Approximately 50% of tensile strength remain after 14 days. When used in infected tissues or in tissues with increased levels of proteolytic enzymes (stomach, cervix, vagina)

it is more quickly absorbed.

Tensile strength Post implantation Approximate % original strength remaining

14 days 50 % 28 days 20 %

Suture colour Dark brown

RANGE USP 5/0 - 3/0

INDICATIONS Catgut chrom sutures are intended for use in general soft tissue closing

and/or ligation; especially in general surgery, gastrointestinal surgery,

gynaecology, obstetrics, urology, ophthalmic surgery









	Round bodied needle – taper point – 1/2 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
		DI N	1.5	5/0	75 cm	brown		CC50HR20			
HR20	20 mm		2	4/0	75 cm	brown		CC40HR20			
			3	3/0	75 cm	brown		CC30HR20			
LID24	24 mm	5 mm	2	4/0	75 cm	brown		CC40HR26			
HR26	26 MM		3	3/0	75 cm	brown		CC30HR26			

7	Reverse cutting needle – 3/8 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
DS12	12 mm	nm 🥠	1	6/0	75 cm	brown		CC60DS12-75			
D312	12 111111		1.5	5/0	75 cm	brown		CC50DS12-75			
		n	1.5	5/0	75 cm	brown		CC50DS19			
DS19	19 mm		2	4/0	75 cm	brown		CC40DS19			
			3	3/0	75 cm	brown		CC30DS19			
DS26	26 mm		3	3/0	75 cm	brown		CC30DS26			

NONABSORBABLE SURGICAL SUTURE UXYLENE POLYPROPYLENE MONOFILAMENT

Type Monofilament

Composition Polypropylene, a polymer of propylene

Coating None

Tissue reaction Minimal

Absorption Non absorbable

Suture colour Blue

RANGE USP 8/0 - 2/0

INDICATIONS Luxylene sutures are intended for use in general soft tissue closing and/

or ligation; especially in ophthalmic surgery, plastic surgery, skin closure, orthopaedics, hernias (also as a mesh), gastrointestinal surgery, general

surgery, gynaecology, obstetrics









	Round	d bodied needle – tap	er poi	nt – 1	/2 circle			
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
HR08	0 mm		0.4	8/0	60 cm	blue	double armed needle	PP80HR08-D
HRU8	8 mm		0.5	7/0	60 cm	blue	double armed needle	PP70HR08-D
			0.5	7/0	45 cm	blue		PP70HR10
HR10	10 mm		0.5	7/0	60 cm	blue	double armed needle	PP70HR10-D
			0.7	6/0	60 cm	blue	double armed needle	PP60HR10-D
			0.7	6/0	45 cm	blue		PP60HR13
HR13	13 mm		0.7	6/0	60 cm	blue	double armed needle	PP60HR13-D
			1	5/0	60 cm	blue	double armed needle	PP50HR13-D
HR15	15 mm		1	5/0	75 cm	blue		PP50HR15
		11 24	1	5/0	90 cm	blue	double armed needle	PP50HR16-D
HR16	16 mm		1.5	4/0	75 cm	blue		PP40HR16
			1.5	4/0	90 cm	blue	double armed needle	PP40HR16-D
		l I	1.5	4/0	75 cm	blue		PP40HR20
HR20	20 mm		1.5	4/0	90 cm	blue	double armed needle	PP40HR20-D
			2	3/0	75 cm	blue		PP30HR20
			1.5	4/0	75 cm	blue		PP40HR25
			1.5	4/0	90 cm	blue	double armed needle	PP40HR25-D
HR25	25 mm	1	2	3/0	75 cm	blue		PP30HR25
TIKZO	23 IIIIII		2	3/0	90 cm	blue	double armed needle	PP30HR25-D
			3	2/0	75 cm	blue		PP20HR25
			3	2/0	90 cm	blue	double armed needle	PP20HR25-D

Round bodied needle – taper point – 3/8 circle										
	NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
DR13 13 mm		0.7	6/0	75 cm	blue		PP60DR13			

Round bodied needle – tapercut point – 1/2 circle										
NEEDLE EP USP LENGTH SUTURE OTHER ORDER COLOUR INFORMATION NUMBER										
HRT25 25 mm	3	2/0	90 cm	blue	double armed needle	PP20HRT25-D				



V	Rever	se cutting needle – 3/	8 circ	le				
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
			0.7	6/0	45 cm	blue		PP60DS12
DS12	12 mm		0.7	6/0	75 cm	blue		PP60DS12-75
			1	5/0	45 cm	blue		PP50DS12
			0.7	6/0	45 cm	blue		PP60DS16
			1	5/0	45 cm	blue		PP50DS16
DC1/	1/	S 2	1	5/0	75 cm	blue		PP50DS16-75
DS16	16 mm		1.5	4/0	45 cm	blue		PP40DS16-45
			1.5	4/0	75 cm	blue		PP40DS16
			2	3/0	75 cm	blue		PP30DS16
			1	5/0	45 cm	blue		PP50DS19-45
			1	5/0	75 cm	blue		PP50DS19
DS19	19 mm		1.5	4/0	45 cm	blue		PP40DS19-45
			1.5	4/0	75 cm	blue		PP40DS19
			2	3/0	75 cm	blue		PP30DS19
			1.5	4/0	75 cm	blue		PP40DS24
DS24	24 mm		2	3/0	75 cm	blue		PP30DS24
			3	2/0	75 cm	blue		PP20DS24

NONABSORBABLE SURGICAL SUTURE LUXAID NYLON BLUE

Type Monofilament

Composition Extrusion of polyamide 6.0 or 6.6

Coating None

Tissue reaction Minimal

Absorption Non absorbable, gradually encapsulated by connective tissue. The thread

mass diminishes, approximately 10% a year by rupture of chemical links

(hydrolytic action).

Suture colour Blue, black

RANGE USP 7/0 - 2/0

INDICATIONS Luxamid sutures are intended for use in general soft tissue closing and/or

ligation; especially in

Luxamid blue: skin closure, general surgery, plastic surgery, gastrointestinal

surgery, gynaecology, obstetrics, orthopaedics Luxamid black: plastic surgery, ophthalmic surgery








	Round bodied needle – taper point – 1/2 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
HR16	16 mm		1.5	4/0	75 cm	blue		NY40HR16			
HR20	20 mm		2	3/0	75 cm	blue		NY30HR20			
HR26	26 mm		3	2/0	75 cm	blue		NY20HR26			

	Revers	se cutting needle – 3/	8 circ	le				
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
			0.5	7/0	75 cm	black		NY70DS12
DS12	10		0.7	6/0	75 cm	black		NY60DS12
D512	12 mm		1	5/0	75 cm	black		NY50DS12
			1.5	4/0	75 cm	blue		NY40DS12
			0.7	6/0	75 cm	black		NY60DS16
			1	5/0	45 cm	black		NY50DS16-45
DS16	16 mm		1	5/0	75 cm	black		NY50DS16
D310	10 111111		1.5	4/0	45 cm	blue		NY40DS16-45
			1.5	4/0	75 cm	blue		NY40DS16
			2	3/0	75 cm	blue		NY30DS16
			1	5/0	75 cm	black		NY50DS19
			1.5	4/0	45 cm	blue		NY40DS19-45
DS19	19 mm		1.5	4/0	75 cm	blue		NY40DS19
			2	3/0	75 cm	blue		NY30DS19
			3	2/0	75 cm	blue		NY20DS19
			1.5	4/0	75 cm	blue		NY40DS24
DS24	24 mm		1.5	4/0	45 cm	blue		NY40DS24-45
D324	24 111111		2	3/0	75 cm	blue		NY30DS24
			3	2/0	75 cm	blue		NY20DS24
DS26	26 mm	1	2	3/0	75 cm	blue		NY30DS26
DSZO	20 111111		3	2/0	75 cm	blue		NY20DS26

	Reverse cutting needle – 1/2 circle										
	N	EEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
HS16	16 mm		1	5/0	75 cm	black		NY50HS16			
HS17	17 mm		1.5	4/0	75 cm	blue		NY40HS17			



Type Twisted and coated multifilament, sizes 5/0 and 6/0 monofilament

COMPOSITION Polyamide 6.6 strands enclosed in a polyamide 6 sheet

Coating None

TISSUE REACTION Minimal

Absorption Non absorbable, gradually encapsulated by connective tissue

Suture colour Black

RANGE USP 4/0 - 2/0

INDICATIONS Supramid sutures are intended for use in general soft tissue closing and/or

ligation; especially in skin closure









	Round bodied needle – taper point – 1/2 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
LID1/			1	5/0	75 cm	black		SB50HR16			
HR16	16 mm		1.5	4/0	75 cm	black		SB40HR16			
HR20	20 mm		1.5	4/0	75 cm	black		SB40HR20			

	Round bodied needle – taper point – straight										
NEEDLE FP USP LENGTH						ORDER NUMBER					
GR22	22 mm		1.5	4/0	50 cm	black		SB40GR22			

Round bodied needle – tapercut point – 3/8 circle										
NEEDLE EP USP LENGTH SUTURE OTHER ORDER NUMBER										
DDT10	10	W W	1.5	4/0	75 cm	black		SB40DRT18		
DRT18	18 mm		2	3/0	75 cm	black		SB30DRT18		

	Round bodied needle – tapercut point – 1/2 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
HRT16	16 mm		1	5/0	75 cm	black		SB50HRT16			
LIDT10	HRT18 18 mm		1.5	4/0	75 cm	black		SB40HRT18			
HKIIÖ			2	3/0	75 cm	black		SB30HRT18			

V	Reverse cutting needle – 1/2 circle											
	NEEDLE			USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER				
HS16	16 mm		1	5/0	75 cm	black		SB50HS16				
HS17	17 mm		1.5	4/0	75 cm	black		SB40HS17				
			1	5/0	75 cm	black		SB50HS20				
HS20	20 mm		1.5	4/0	75 cm	black		SB40HS20				
			2	3/0	75 cm	black		SB30HS20				
HS22	22 mm		1.5	4/0	75 cm	black		SB40HS22				





V	Reverse cutting needle – 3/8 circle											
	NEE	DLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER				
DS12	DS12 12 mm			6/0	75 cm	black		SB60DS12				
			0.7	6/0	75 cm	black		SB60DS16				
DC1/	16 mm		1	5/0	45 cm	black		SB50DS16-45				
DS16			1	5/0	75 cm	black		SB50DS16				
			1.5	4/0	75 cm	black		SB40DS16-75				
DS16	16 mm PREMIUN	M NEEDLE	1	5/0	45 cm	black		SB50DS16-P				
			1	5/0	75 cm	black		SB50DS19				
DS19	19 mm		1.5	4/0	75 cm	black		SB40DS19				
		2	3/0	75 cm	black		SB30DS19					
DS24	24 mm		3	2/0	75 cm	black		SB20DS24				

NONABSORBABLE SURGICAL SUTURE POLYESTER BRAIDED

Type Braided multifilament

Composition Polyester - a polymer of polyethylene terephthalate

COATING Silicone

Tissue reaction Minimal

Absorption Non absorbable, gradually encapsulated by connective tissue

Suture colour Green

White

RANGE USP 4/0 - 2/0

INDICATIONS Luxpet sutures are intended for use in general soft tissue closing and/

or ligation; especially in ophthalmic surgery, general surgery, skin closure,

orthopaedics, gastrointestinal surgery, obstetrics









	Round bodied needle – taper point – 1/2 circle											
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER				
HR16	16 mm		1.5	4/0	75 cm	green		PE40HR16				
HR20	20 mm		2	3/0	75 cm	green		PE30HR20				
LID24	26 mm	()	2	3/0	75 cm	green		PE30HR26				
HR26	26 mm	3	2/0	75 cm	green		PE20HR26					

Round bodied needle – tapercut point – 1/2 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER		
HRT18	LIDTAO AO		1.5	4/0	75 cm	green		PE40HRT18		
нкию	18 mm		2	3/0	75 cm	green		PE30HRT18		

7	Reverse cutting needle – 3/8 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
DC1/	1/	S 3	1	5/0	75 cm	green		PE50DS16			
DS16	16 mm		1.5	4/0	75 cm	green		PE40DS16			
DS19	19 mm		1.5	4/0	75 cm	green		PE40DS19			
D219	19 111111		2	3/0	75 cm	green		PE30DS19			
DS24	24 mm	\smile	2	3/0	75 cm	green		PE30DS24			
D524	24 mm		3	2/0	75 cm	green		PE20DS24			

NONABSORBABLE SURGICAL SUTURE BLACK

NONABSORBABLE SURGICAL SUTURE SILL NO SUTURE SILL NO SURGICAL SUTURE SILL NO SUTURE SILL NO SURGICAL SUTURE SILL NO SUTURE SILL

Type Braided multifilament (Silk braided)

Twisted multifilament (Silk virgin)

Composition Braided / twisted fibres from the cocoon of the silkworm

COATING Waxes, Silicone (Silk braided)

None (Silk virgin)

Tissue reaction Moderate

Absorption Silk suture elicits an initial inflammatory reaction in tissues, which is followed

by gradual encapsulation of the suture by fibrous connective tissues

Suture colour Black (Silk braided)

Blue (Silk virgin)

RANGE USP 6/0 - 2/0

INDICATIONS Silk sutures are intended for use in general soft tissue closing and/or ligation;

especially in general surgery, skin closure, ophthalmic surgery, oral surgery,

gastrointestinal surgery, gynaecology, obstetrics









	Round bodied needle – taper point – 1/2 circle										
	NEEDLE				LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER			
HR13	13 mm		1	5/0	75 cm	black		SI50HR13			
HR16	16 mm	()	1	5/0	75 cm	black		SI50HR16			
ПКТО	10 111111		1.5	4/0	75 cm	black		SI40HR16			
			1	5/0	75 cm	black		SI50HR20			
HR20	20 mm		1.5	4/0	75 cm	black		S140HR20			
HRZU	20 111111		2	3/0	75 cm	black		S130HR20			
			3	2/0	75 cm	black		S120HR20			
	9 62	V 6	1.5	4/0	75 cm	black		S140HR26			
HR26	26 mm		2	3/0	75 cm	black		S130HR26			
			3	2/0	75 cm	black		SI20HR26			

Round bodied needle – taper point – straight										
NEEDLE				USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER		
GR22	22 mm		1.5	4/0	50 cm	black		S140GR22		

Round bodied needle – tapercut point – 3/8 circle										
		NEEDLE	EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER		
DRT18	DDT40 40		1.5	4/0	75 cm	black		SI40DRT18		
DKII8	18 mm		2	3/0	75 cm	black		SI30DRT18		

Round bodied needle – tapercut point – 1/2 circle										
NEEDLE FP LISP LENGTH L							ORDER NUMBER			
LIDT10	10 mm		1.5	4/0	75 cm	black		SI40HRT18		
HRT18	18 mm		2	3/0	75 cm	black		SI30HRT18		



7	Reverse cutting needle – 3/8 circle											
NEEDLE			EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER				
DS12	12 mm	\sim	0.7	6/0	45 cm	black		SI60DS12				
			1	5/0	45 cm	black		SI50DS12				
DS16	16 mm		0.7	6/0	75 cm	black		SI60DS16				
			1	5/0	75 cm	black		SI50DS16				
			1.5	4/0	75 cm	black		SI40DS16				
			2	3/0	75 cm	black		SI30DS16				
			3	2/0	75 cm	black		SI20DS16				
DS19	19 mm		1	5/0	75 cm	black		SI50DS19				
			1.5	4/0	75 cm	black		SI40DS19				
			2	3/0	75 cm	black		SI30DS19				
			3	2/0	75 cm	black		SI20DS19				
DS24	24 mm		2	3/0	75 cm	black		SI30DS24				
			3	2/0	75 cm	black		SI20DS24				

Reverse cutting needle – 1/2 circle												
NEEDLE			EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER				
HS17	17 mm		1.5	4/0	75 cm	black		SI40HS17				
			2	3/0	75 cm	black		SI30HS17				
HS20	20 mm		1.5	4/0	75 cm	black		SI40HS20				
H320			2	3/0	75 cm	black		S130HS20				
	22 mm		1.5	4/0	75 cm	black		S140HS22				
HS22			2	3/0	75 cm	black		S130HS22				
			3	2/0	75 cm	black		SI20HS22				
HS26	26 mm	m ·	2	3/0	75 cm	black		SI30HS26				
11320			3	2/0	75 cm	black		S120HS26				

OTHER PRODUCTS



SURGICAL BLADES



LUSB11 LUSB12 LUSB12D LUSB15 LUSB15C LUSB25

COMPOSITION:

Carbon steel

Individual sterile foil packs without handle 100 / box

Surgical blades with plastic handle



STITCH CUTTER



COMPOSITION:

Carbon steel Individual sterile foil packs 100 / box





LUBW 12 x 2.5 g

COMPOSITION:

Refined white beeswax, paraffin and isopropyl palmitate

INDICATIONS:

Used in the control of bleeding from bone surfaces by acting as a mechanical barrier.

Suture rack

Rack to join 125 mm x 72 mm x 143 mm

Z070 1 pc. Drawer for rack **Z071** 1 pc.



PILOMAT

Tablet crusher **Z045**



Tablet Splitter Z044







22, Gruuss-Strooss, L-9991 Weiswampach, Luxembourg info@luxsutures.com www.luxsutures.com